

The finer structure of the solutions of  $x^2 - Dy^2 = \pm N$ .

**Lemma 1.**

(a) Let  $U + V\sqrt{D} = (A + B\sqrt{D})(u + v\sqrt{D})$ , where

$$A^2 - DB^2 = N, u^2 - Dv^2 = \pm 1, B > 0, u > 0, v > 0 \text{ and } B \leq |V|.$$

Then

(i)  $A \geq 0 \Rightarrow U > 0$  and  $V > 0$ ,

(ii)  $A < 0$  and  $N > 0 \Rightarrow U < 0$  and  $V < 0$ ,

$$\text{eg. } (-4 + \sqrt{3})(2 + \sqrt{3}) = -5 - 2\sqrt{3}. (u^2 - Dv^2 = 1);$$

$$(-4 + \sqrt{13})(18 + 5\sqrt{13}) = -7 - 2\sqrt{13}. (u^2 - Dv^2 = -1);$$

(iii)  $A < 0$  and  $N < 0 \Rightarrow U > 0$  and  $V > 0$ .

$$\text{eg. } (-1 + \sqrt{3})(2 + \sqrt{3}) = 1 + \sqrt{3}. (u^2 - Dv^2 = 1);$$

$$\text{eg. } (-4 + 3\sqrt{13})(18 + 5\sqrt{13}) = 123 + 34\sqrt{13}. (u^2 - Dv^2 = -1);$$

(b) Let  $U + V\sqrt{D} = (A + B\sqrt{D})(u - v\sqrt{D})$ , where

$$A^2 - DB^2 = N, u^2 - Dv^2 = \pm 1, B > 0, u > 0, v > 0 \text{ and } B \leq |V|.$$

Then

(i)  $A < 0 \Rightarrow U < 0 < V$ ,

(ii)  $A \geq 0$  and  $N > 0 \Rightarrow V < 0 < U$ ,

$$\text{eg. } (4 + \sqrt{3})(2 - \sqrt{3}) = 5 - 2\sqrt{3}. (u^2 - Dv^2 = 1);$$

$$\text{eg. } (4 + \sqrt{13})(18 - 5\sqrt{13}) = 7 - 2\sqrt{13}. (u^2 - Dv^2 = -1);$$

(iii)  $A \geq 0$  and  $N < 0 \Rightarrow U < 0 < V$ .

$$\text{eg. } (1 + \sqrt{3})(2 - \sqrt{3}) = -1 + \sqrt{3}. (u^2 - Dv^2 = 1);$$

$$\text{eg. } (4 + 3\sqrt{13})(18 - 5\sqrt{13}) = -123 + 34\sqrt{13}. (u^2 - Dv^2 = -1);$$

**Remark.** (a) and (b) (i) are obvious. (b) (ii) and (iii) follow by conjugation from (a)(ii) and (iii).

**Proof.** We first prove (a)(ii). Assume  $A < 0$ .

$$U = -|A|u + BDv \tag{1}$$

$$V = -|A|v + Bu. \tag{2}$$

First assume  $u^2 - Dv^2 = 1$ .

Now  $u > \sqrt{D}v$  and  $|A| > \sqrt{D}B$ . Hence  $|A|u > BDv$  and by equation (1) we have  $U < 0$ .

Next  $|A| \leq |U|$  as  $B \leq |V|$  and  $A^2 = DB^2 + N, U^2 = DV^2 + N$ . Hence

$$\begin{aligned} |A| &\leq |A|u - BDv \\ BDv &\leq |A|(u - 1) \\ BDvu &\leq |A|(u - 1)u \end{aligned}$$

However

$$|A|(u - 1)u < |A|v^2D \iff (u - 1)u < v^2D \iff 1 = u^2 - Dv^2 < u.$$

Hence  $BDvu < |A|v^2D$  and so  $Bu < |A|v$ . Then equation (2) implies  $V < 0$ .

Now assume  $u^2 - Dv^2 = -1$ .

We have  $u < \sqrt{D}v$  and  $\sqrt{D}B < |A|$ . Hence  $u\sqrt{D}B < |A|\sqrt{D}v$  and  $uB < |A|v$ .

Hence from equation (2),  $V < 0$ .

Also  $B \leq |V| = |A|v - Bu$ . Hence  $B(1 + u) < |A|v$ .

We want to prove  $|A|u > DBv$  ie.  $|A| > DBv/u$ .

But  $|A| > B(1 + u)/v$ , so it suffices to prove

$$B(1 + u)/v \geq DBv/u,$$

or  $u \geq Dv^2 - u^2 = 1$ .

**Proof of (a)(iii).** Assume  $A < 0$ .

First assume  $u^2 - Dv^2 = 1$  and  $A^2 - DB^2 = -|N|$ . Then

$u > \sqrt{D}v$  and  $|A| < \sqrt{D}B$ . Hence  $|A|v < Bu$  and  $V > 0$ .

Next, we have to show  $BDv > |A|u$ . Suppose instead that  $BDv \leq |A|u$ . Now  $B \leq |V|$  and (2) give  $B \leq Bu - |A|v$ . Hence

$$\begin{aligned} B(u - 1) &\geq |A|v \\ B(u - 1)/v &\geq |A|. \end{aligned}$$

Hence  $u(B(u - 1)/v \geq BDv$  and we deduce that  $1 \geq u$ , a contradiction.

Secondly, assume  $u^2 - Dv^2 = -1$  and  $A^2 - DB^2 = -|N|$ . Now  $u < \sqrt{D}v$  and  $|A| < \sqrt{D}B$ . Hence  $u|A| < DBv$  and equation (2) gives  $U > 0$ .

We prove  $Bu > |A|v$  by contradiction. Suppose  $Bu \leq |A|v$ . Then

$B \leq |V| = |A|v - Bu$  and

$$\begin{aligned} B(1+u) &\leq |A|v \\ B(1+u)/v &\leq A < \sqrt{DB} \\ (1+u)/v &< \sqrt{D}. \end{aligned}$$

Hence  $(1+u)^2 < Dv^2 = u^2 + 1$  and we have  $2u < 0$ , a contradiction.

Hence  $Bu > |A|v$  and hence  $V > 0$ .